MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

CP873RICMAR Product number

CONTROL GERMICIDAL CLEANER DEODORIZER Product name

06-May-2011 Effective date

RICMAR INDUSTRIES Company information

889 N LARCH AVE ELMHURST, IL 60126 United States

General Assistance 800-323-0779

Company phone **Emergency telephone US**

1-866-836-8855 703-527-3887

Emergency telephone outside US Version#

09

Supersedes date

01-Jul-2010

2. Hazards Identification

Emergency overview Aerosol, Will be easily ignited by heat, spark or flames. CONTENTS UNDER

PRESSURE.

Potential health effects

Eves Moderately irritating to the eyes. Skin Harmful if absorbed through the skin.

Inhalation Intentional misuse by concentrating and inhaling the product can be harmful or fatal.

Harmful if inhaled.

Exposure by ingestion of an aerosol is unlikely. Ingestion may cause gastrointestinal Ingestion

irritation, nausea, vomiting and diarrhea

Target organs 2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is

repeated and prolonged and may cause blood damage. These effects have not been

observed in humans.

Kidney, Blood, Central nervous system. Liver, Respiratory system.

Chronic effects Conjunctiva, Liver injury may occur. Kidney injury may occur. May cause central nervous

system disorder (e.g., narcosis involving a loss of coordination, weakness, fatigue, mental confusion, and blurred vision) and/or damage. May cause delayed lung damage.

Prolonged skin contact may defat the skin and produce dermatitis.

Signs and symptoms Corneal damage. Narcosis. Liver enlargement. Conjunctivitis. Defatting of the skin.

Irritation.

3. Composition / Information on Ingredients

Components	CAS#	Percent
2-Butoxyethanol	111-76-2	3 - 5
n-Butane	106-97-8	1 - 3
Non-hazardous and other components below reportable levels		> 90

4. First Aid Measures

First aid procedures

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention

immediately.

Skin contact Wash off with warm water and soap. Get medical attention if irritation develops or

persists

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Ingestion Have victim rinse mouth thoroughly with water. Do not induce vomiting without medical

advice. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper

respiratory medical device.

Notes to physician

Symptoms may be delayed.

5. Fire Fighting Measures

Extinguishing media

Suitable extinguishing media

Large Fires: Water spray, fog or regular foam.

Small Fires: Dry chemical, CO2, water spray or regular foam.

Protection of firefighters

Protective equipment and precautions for firefighters In the event of fire and/or explosion do not breathe fumes. Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Containers should be cooled with water to prevent vapor pressure build up. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn.

6. Accidental Release Measures

Methods for containment

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable.

Methods for cleaning up

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated surface thoroughly.

7. Handling and Storage

Handling

Pressurized container: Do not pierce or burn, even after use. Do not handle or store near an open flame, heat or other sources of ignition. Do not smoke while using or until sprayed surface is thoroughly dry. Do not use if spray button is missing or defective. Use only with adequate ventilation. Do not get this material in contact with eyes. Do not get this material in contact with skin. Avoid prolonged exposure.

Storage

Level 1 Aerosol (NFPA 30B) Level 1 Aerosol. Contents under pressure. Do not puncture, incinerate or crush. The pressure in sealed containers can increase under the influence of heat. Avoid exposure to long periods of

sunlight. Keep out of the reach of children.

8. Exposure Controls / Personal Protection

Exposure limits

ACGIH

Components	CAS#	TWA	STEL	Ceiling	
2-Butoxyethanol	111-76-2	20 ppm	Not established	Not established	•
n-Butane	106-97-8	1000 ppm	Not established	Not established	
OSHA					
Components	CAS#	TWA	STEL	Ceiling	

50 ppm

Personal protective equipment

Eve / face protection

2-Butoxyethanol

Skin protection

Wear chemical goggles. Protective gloves.

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Not established

Not established

9. Physical & Chemical Properties

Appearance Boiling point Color

Compressed liquefied gas. 212 °F (100 °C) estimated

Pale yellow

Density 0.9785 g/cm3 estimated Flammability (HOC) 3.4393 kJ/g estimated

111-76-2

Flash back

-156 °F (-104.4 °C) Flash point

Product name: CONTROL GERMICIDAL CLEANER DEODORIZER

MSDS US

Form

Aerosol.

Freezing point

Not available

Odor pH fruity 11.8 - 12.8

Physical state

Pressure

Liquid. 55 - 75 psig @70F

Solubility Specific gravity Partially

0.9786

10. Chemical Stability & Reactivity Information

Chemical stability

Risk of ignition. Stable at normal conditions.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

None known.

Hazardous decomposition products

May include oxides of oxides of carbon.

11. Toxicological Information

Acute effects

Acute LD50: 4536 mg/kg estimated, Rat, Dermal Acute LC50: 44 mg/l/4h estimated, Rat, Inhalation

Component analysis - LD50

Toxicology Data - Selected LD50s and LC50s

2-Butoxyethanoi

111-76-2

Inhalation LC50 Rat 2 21 mg/L 4 h, Inhalation LC50 Rat 450 ppm 4 h; Oral LD50 Rat

470 mg/kg, Dermal LD50 Rat 2270 mg/kg, Dermal LD50 Rabbit 220 mg/kg

n-Butane

106-97-8

Inhalation LC50 Rat 658 mg/L 4 h

Sensitization Teratogenicity Not expected to be hazardous by OSHA criteria. Not expected to be hazardous by OSHA criteria.

12. Ecological Information

Ecotoxicity

LC50 1162 mg/L, Fish, 96.00 Hours, EC50 17668 mg/L, Daphnia, 48.00 Hours, IC50 86.04 mg/L, Algae, 72.00 Hours,

Components of this product have been identified as having potential environmental concerns.

13. Disposal Considerations

Waste codes

D001: Waste Flammable material with a flash point <140 F

Disposal instructions

Contents under pressure. Do not allow this material to drain into sewers/water supplies. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose in

accordance with all applicable regulations.

14. Transport Information

Department of Transportation (DOT) Requirements

Basic shipping requirements:

Proper shipping name

Consumer commodity

Hazard class

ORM-D None

Subsidiary hazard class

Additional information:

156, 306

Packaging exceptions Packaging non bulk

156, 306

Packaging bulk

None

IMDG

Basic shipping requirements:

AEROSOLS Proper shipping name

Hazard class 2.1 **UN** number 1950

Additional information:

LTD QTY Packaging exceptions 5F

Item

None Labels required 2 **Transport Category**

IATA

Basic shipping requirements:

Proper shipping name Aerosols, flammable

2.1 Hazard class **UN** number 1950

Additional information:

LTD QTY Packaging exceptions Labels required 2.1





15. Regulatory Information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

2-Butoxyethanol

111-76-2

1.0 % de minimis concentration (applies to R-(OCH2CH2)n-OR', where n = 1,2, or 3,R=alkyl C7 or less, or R = phenyl or alkyl substituted phenyl, R' = H or alkyl C7 or less, or OR' consisting of carboxylic acid ester, sulfate, phosphate, nitrate, or sulfonate, Chemical Category N230)

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous

chemical

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 302 extremely

hazardous substance

Section 311 hazardous chemical Yes

Hazard categories (311/312)

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of New and Existing Chemicals (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State regulations

U.S. - Pennsylvania - RTK (Right to Know) List

2-Butoxyethanol 111-76-2 Present n-Butane 106-97-8 Present

16. Other Information

Further information HMIS Trademark Statement

Health: 1 **HMIS®** ratings

Flammability: 2 Physical hazard: 0 Personal protection:

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified

in the text.

MSDS sections updated Product and Company Identification: Product Review

Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Physical & Chemical Properties

Prepared by Regulatory Compliance