## Material Safety Data Sheet HMIS\* May be used to comply with OSHA's HEALTH 1 REACTIVITY Hazard Communication Standard, 29 CFR 1910.1200. Standard must be PERSONAL PROTECTION FLAMMABILITY consulted for specific requirements. Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that. Identity (As Used on Label and List) EPA Reg. No. 11694-107 45116, 45120 The End. Dry Fog Flying Insect Killer SECTION I Manufacturer's Name **Emergency Telephone Number** Distributed by: 1-800-535-5053 ITW Dymon Address (Number, Street, City, State, and ZIP Code) Telephone Number for Information 805 East Old 56 Highway 1-800-323-0779 Ricmar Industries Date Prepared 889 N. Larch Avenue Olathe, Kansas 66061 December 12, 2005 Signature of Preparer (Optional) Elmhurst, IL 60126 Regulatory Dept. SECTION II - Hazardous Ingredients/Identity Information Hazardous Components (Specific Other Limits Chemical Identity, Common Name(s)) OSHA PEL ACGIH-% (Opt.) CAS No. Recommended TLV 10 - 30%Isobutane 75-28-5 800 ppm 800 ppm 74-98-6 5-10% Propane 1000 ppm 2500 ppm 1-5% \*Piperonyl butoxide 51-03-6 Not estab. Not estab. \* This product contains Piperonyl butoxide which is listed and may require reporting under SARA Title III Sec. 313 if used over the threshold reporting quantity. This information must be included in all MSDSs that are copied and distributed for this material. Any substance listed as hazardous by the States of California, Florida, Illinois, Michigan, New Jersey, Ohio, Pennsylvania or Texas is described above if known present in regulated concentrations. SECTION III Physical/Chemical Characteristics **Boiling Point** Specific Gravity (H<sub>2</sub>O = 1) 0.98 Concentrate - Initial 212° F Concentrate @70° F Melting Point Pressure (psig. @ 70° F) No Data $70 \pm 5$ Vapor Density (AIR = 1) Greater than Evaporation Rate (Butyl Acetate = 1) one (1) No Data Solubility in Water Dispersible Appearance and Odor - Opaque light yellow liquid with a cherry VOC's--This product contains 204 grams per liter or 25 % by weight blossom fragrance in an aerosol can. VOC's. SECTION IV - Fire and Explosion Hazard Data USA Flame Projection Test (ASTM D-3065) Flammable Limits LEL UEL 0", no flashback No Data No Data No Data Extinguishing Media - Not usually necessary as this product does not readily support combustion. Use extinguishing agent appropriate for fire's fuel source (i.e. carbon dioxide, dry chemical, foam, fog, etc.). Special Fire Fighting Procedures - Use water spray to keep containers cool and vapors down. Do not allow runoff to enter sewers or public watercourses. Wear self-contained breathing apparatus in chemical fires.

Unusual Fire and Explosion Hazards - Aerosol container (pressurized) may burst if heated over 130° F.

