MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product number 358

Product name Ricmar Industries STINGER Wasp & Hornet Killer

Effective date 10-Nov-2011
Company information Ricmar Industries

889 N. Larch Elmhurst, IL 60126 United States

General Assistance 800-323-0779

Emergency telephone US 800-424-9300 Emergency telephone outside US 703-527-3887

Version # 12

Supersedes date 01-Sep-2011

2. Hazards Identification

Emergency overview Aerosol. FLAMMABLE

CONTENTS UNDER PRESSURE.

Will be easily ignited by heat, spark or flames.

Potential health effects

Company phone

Routes of exposureEye contact. Skin contact. Ingestion.EyesModerately irritating to the eyes.SkinHarmful if absorbed through the skin.

InhalationIntentional misuse by concentrating and inhaling the product can be harmful or fatal.IngestionExposure by ingestion of an aerosol is unlikely. May cause delayed lung damage.

Components of the product may be absorbed into the body by ingestion.

Target organs Lungs.

Chronic effects May cause delayed lung damage.

Signs and symptoms Discomfort in the chest. Corneal damage. Coughing. Skin irritation.

3. Composition / Information on Ingredients

| Components | CAS# | Percent |
|--|------------|---------|
| Paraffinic, Naphthenic Solvent | 64742-47-8 | 80 - 90 |
| Isopropyl Alcohol | 67-63-0 | 8 - 10 |
| Carbon Dioxide | 124-38-9 | 1 - 3 |
| Non-hazardous and other components below reportable levels | | |

4. First Aid Measures

First aid procedures

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

Skin contact Remove and isolate contaminated clothing and shoes. Wash off immediately with plenty

of water for at least 15 minutes. Get medical attention if irritation develops and persists.

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth

method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Get medical attention immediately.

Ingestion If material is ingested, immediately contact a poison control center. Do not induce

vomiting without advice from poison control center. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask

equipped with a one-way valve or other proper respiratory medical device.

Notes to physician Symptoms may be delayed.

5. Fire Fighting Measures

Flammable properties

Heat may cause the containers to explode. Runoff to sewer may cause fire or explosion hazard.

Extinguishing media

Suitable extinguishing media

Protection of firefighters

Protective equipment and precautions for firefighters

Water. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

In case of fire and/or explosion do not breathe fumes. Containers should be cooled with water to prevent vapor pressure build up. Cool containers with flooding quantities of water until well after fire is out. Move containers from fire area if you can do so without risk. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

6. Accidental Release Measures

Methods for containment

Stop leak if you can do so without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Move the cylinder to a safe and open area if the leak is irreparable. Stop the flow of material, if this is without risk.

Methods for cleaning up

Should not be released into the environment. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. After removal flush contaminated area thoroughly with water.

7. Handling and Storage

Handling

Pressurized container: Do not pierce or burn, even after use. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not smoke while using or until sprayed surface is thoroughly dry. Use only in area provided with appropriate exhaust ventilation. Do not use if spray button is missing or defective. Do not re-use empty containers. Avoid contact with skin. Avoid prolonged exposure.

Storage

Contents under pressure. Do not puncture, incinerate or crush. The pressure in sealed containers can increase under the influence of heat. Keep away from heat and sources of ignition. Avoid exposure to long periods of sunlight. Store in cool place. Keep in an area equipped with sprinklers. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs. Level 3 Aerosol.

8. Exposure Controls / Personal Protection

Exposure limits

ACGIH

| Components | CAS# | TWA | STEL | Ceiling |
|-------------------|----------|----------|-----------|-----------------|
| Isopropyl Alcohol | 67-63-0 | 200 ppm | 400 ppm | Not established |
| Carbon Dioxide | 124-38-9 | 5000 ppm | 30000 ppm | Not established |

OSHA

| Components | CAS# | TWA | STEL | Ceiling |
|-------------------|----------|----------|-----------------|-----------------|
| Isopropyl Alcohol | 67-63-0 | 400 ppm | Not established | Not established |
| Carbon Dioxide | 124-38-9 | 5000 ppm | Not established | Not established |

Personal protective equipment

Eye / face protection Skin protection

Do not get in eyes. Wear safety glasses; chemical goggles (if splashing is possible).

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

9. Physical & Chemical Properties

Appearance

Compressed liquefied gas.

Boiling point 395.6 °F (202.2 °C) estimated

Color Colorless.

Density 0.8485 g/cm3 estimated Flammability (HOC) 38.771 kJ/g estimated

Flash back No

Flash point 53 °F (11.7 °C) Concentrate

Form Aerosol.
Freezing point Not available
Odor Solvent.
pH Not applicable

Physical state Liquid.

Pressure 90 - 110 psig @ 70F

Solubility Partially

Specific gravity 0.8486 estimated

10. Chemical Stability & Reactivity Information

Chemical stability Risk of ignition.

Conditions to avoid Heat, flames and sparks.

Hazardous decomposition products No hazardous decomposition products are known.

11. Toxicological Information

Acute effects Acute LD50: 2237 mg/kg estimated, Rat, Dermal

Component analysis - LD50

Toxicology Data - Selected LD50s and LC50s

Isopropyl Alcohol 67-63-0 Inhalation LC50 Rat 72.6 mg/L 4 h; Oral LD50 Rat 4396 mg/kg; Dermal LD50 Rat

12800 mg/kg; Dermal LD50 Rabbit 12870 mg/kg

Paraffinic, Naphthenic Solvent 64742-47-8 Inhalation LC50 Rat >5.2 mg/L 4 h; Oral LD50 Rat >5000 mg/kg; Dermal LD50

Rabbit >2000 mg/kg

Sensitization Not expected to be hazardous by OSHA criteria.

Teratogenicity Not expected to be hazardous by OSHA criteria.

12. Ecological Information

Ecotoxicity Components of this product have been identified as having potential environmental

concerns.

LC50 48.72 mg/L estimated, Fish, 96.00 Hours, IC50 11769 mg/L estimated, Algae, 72.00 Hours, EC50 629 mg/L estimated, Daphnia, 48.00 Hours,

13. Disposal Considerations

Disposal instructionsConsult authorities before disposal. Contents under pressure. Do not puncture,

incinerate or crush. This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste.

14. Transport Information

Department of Transportation (DOT) Requirements

Basic shipping requirements:

Proper shipping name Consumer commodity

Hazard class ORM-D Subsidiary hazard class None

Additional information:

Packaging exceptions 156, 306
Packaging non bulk 156, 306
Packaging bulk None

IMDG

Basic shipping requirements:

Proper shipping name AEROSOLS

Hazard class 2.1 UN number 1950

Additional information:

Packaging exceptions LTD QTY

Item5FLabels requiredNoneTransport Category2



Basic shipping requirements:

Proper shipping name Aerosols, flammable

Hazard class 2.1 UN number 1950

Additional information:

Packaging exceptions LTD QTY
Labels required 2.1





15. Regulatory Information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

Isopropyl Alcohol 67-63-0 1.0 % de minimis concentration (only if manufactured by the strong acid process, no

supplier notification)

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous Yes

chemical

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 302 extremely No

hazardous substance

Section 311 hazardous chemical Yes

Hazard categories (311/312) Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

Inventory status

Country(s) or region Inventory name On inventory (yes/no)* China Inventory of Existing Chemical Substances in China (IECSC) Yes Europe European Inventory of New and Existing Chemicals (EINECS) No Europe European List of Notified Chemical Substances (ELINCS) No Inventory of Existing and New Chemical Substances (ENCS) Yes Japan Korea Existing Chemicals List (ECL) No United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State regulations

U.S. - Pennsylvania - RTK (Right to Know) List

Carbon Dioxide 124-38-9 Present

Isopropyl Alcohol 67-63-0 Environmental hazard

Paraffinic, Naphthenic Solvent 64742-47-8 Present

Product name: Ricmar Industries STINGER Wasp & Hornet Killer

Product #: 005-002 Revision date: 10-NOV-2011 Print date: 10-NOV-2011

16. Other Information

Further information HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings Health: 1
Flammability:

Flammability: 4 Physical hazard: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our

knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication, The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification, The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any

process, unless specified in the text.

MSDS sections updated Product and Company Identification: Product and Company Identification

Exposure Controls / Personal Protection: Eye protection

Exposure Controls / Personal Protection: Skin and body protection

Physical & Chemical Properties: Appearance

Prepared by Regulatory Compliance

Product name: Ricmar Industries STINGER Wasp & Hornet Killer
Product #: 005-002 Revision date: 10-NOV-2011 Print date: 10-NOV-2011