Safety Data Sheet

SECTION 1: Product and company identification

Product name	aecide Ten	
Use of the substance/mixture	icide	
Product code	20	
Company	mar Industries Inc ' N Church Rd Suite G-4 hurst, IL 60126 - USA 630) 559-9500	
Emergency number	OTRAC CHEMICAL EMERGENCY F	ESPONSE: (800) 535-5053

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Acute Tox. 4 (Oral) H302 Skin Corr. 1B H314 Full text of H-phrases: see section 16

2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	: GHS05 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: Harmful if swallowed Causes severe skin burns and eye damage
Precautionary statements (GHS-US)	 Do not breathe mist, spray Wash thoroughly after handling Do not eat, drink or smoke when using this product Wear eye protection, protective clothing, protective gloves If swallowed: Call a POISON CENTER, a doctor if you feel unwell If swallowed: rinse mouth. Do NOT induce vomiting If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower If inhaled: Remove person to fresh air and keep comfortable for breathing If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a doctor, a POISON CENTER Rinse mouth Wash contaminated clothing before reuse Store locked up Dispose of contents/container to comply with local/regional/national/international regulations

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Full text of H-phrases: see section 16

3.2. Mixture

Safety Data Sheet

Name	Product identifier	%	Classification (GHS-US)
BENZALKONIUM CHLORIDE	(CAS No) 68391-01-5	3-7	Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chloride	(CAS No) 85409-23-0	3-7	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314 Aquatic Chronic 1, H410

SECTION 4: First aid measures Description of first aid measures 4.1. First-aid measures general If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention. First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor. First-aid measures after skin contact Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. First-aid measures after eye contact Continue rinsing. Immediately call a poison center or doctor/physician. : First-aid measures after ingestion Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician. Most important symptoms and effects, both acute and delayed 4.2. Causes severe skin burns and eye damage. Harmful if swallowed. Symptoms/injuries Symptoms/injuries after inhalation Irritation of the respiratory tract. Dizziness. Headache. Symptoms/injuries after skin contact Caustic burns/corrosion of the skin. Symptoms/injuries after eye contact Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage. Harmful if swallowed. Burns to the gastric/intestinal mucosa. Gastrointestinal complaints. Diarrhea. Symptoms/injuries after ingestion Nausea. Vomiting.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: All extinguishing media allowed.	
5.2. Special hazards arising from the substance or mixture		
Reactivity	: Thermal decomposition may produce : Nitrogen oxides. carbon oxides (CO and CO2). ammonia.	
5.3. Advice for firefighters		
Firefighting instructions	 Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water. 	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	

SECTION 6: Accidental release measures Personal precautions, protective equipment and emergency procedures 6.1. Isolate from fire, if possible, without unnecessary risk. General measures 6.1.1. For non-emergency personnel Protective equipment : Gloves. Protective goggles. Protective clothing. Emergency procedures Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area. 6.1.2. For emergency responders Protective equipment : Equip cleanup crew with proper protection. Emergency procedures Stop leak if safe to do so. Stop release. Ventilate area. 6.2. Environmental precautions Avoid release to the environment. Prevent soil and water pollution. 6.3. Methods and material for containment and cleaning up

Date of issue: 11/6/2015 Revision date: 05/15/2015

For containment

: Contain released substance, pump into suitable containers.

Safety Data Sheet

Methods for cleaning up

: This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

: Obtain special instructions before use. Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing.
: Wash thoroughly after handling. Wash contaminated clothing before reuse.
ncluding any incompatibilities
: Comply with applicable regulations.
: Keep container closed when not in use. Protect from freezing.
: Strong oxidizing agents.
: Store in a dry area. Store in a cool area. Keep locked up.
: meet the legal requirements. Keep only in original container.

SECTION 8: Exposure controls/personal protection

:

8.1. Control parameters

No additional information available

8.2. Exposure controls

Personal protective equipment

Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Safety glasses. Protective clothing.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and ch	emical properties
Physical state	: Liquid
Appearance	: Clear, colorless liquid.
Odor	: slight detergent odor
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 200 °F Closed Cup
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 0.992 g/ml
Solubility	: Soluble in water.
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available

Safety Data Sheet

Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
VOC content	: 1.1 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition may produce : Nitrogen oxides. carbon oxides (CO and CO2). ammonia.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Oxidizing agent.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute	toxicity
Acuic	lovicity

: Oral: Harmful if swallowed.

Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization	Causes severe skin burns and eye damage.Not classifiedNot classified
Germ cell mutagenicity Carcinogenicity	: Not classified : Not classified
0	
Reproductive toxicity Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Irritation of the respiratory tract. Dizziness. Headache.
Symptoms/injuries after skin contact	: Caustic burns/corrosion of the skin.
Symptoms/injuries after eye contact	: Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.
Symptoms/injuries after ingestion	: Harmful if swallowed. Burns to the gastric/intestinal mucosa. Gastrointestinal complaints. Diarrhea. Nausea. Vomiting.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations

: Dispose in a safe manner in accordance with local/national regulations.

Safety Data Sheet

SECTION 14: Transport information

Department of Transportation (DOT)

Transport document description	UN1760 Corrosive liquids, n.o.s. (Quaternary Ammonium Chloride), 8, III	
UN-No.(DOT)	UN1760	
Proper Shipping Name (DOT)	Corrosive liquids, n.o.s.	
Transport hazard class(es) (DOT)	8 - Class 8 - Corrosive material 49 CFR 173.136	
Hazard labels (DOT)	8 - Corrosive	
	8	
Packing group (DOT)	III - Minor Danger	
DOT Packaging Non Bulk (49 CFR 173.xxx)	203	
DOT Packaging Bulk (49 CFR 173.xxx)	241	
DOT Symbols	G - Identifies PSN requiring a technical name	
DOT Special Provisions (49 CFR 172.102)	IB3,T7,TP1,TP28	
DOT Packaging Exceptions (49 CFR 173.xxx)	154	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	5 L	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	60 L	
DOT Vessel Stowage Location	A	
DOT Vessel Stowage Other	40 - Stow "clear of living quarters"	
Additional information		
Other information	This product may be eligible to be shipped as a Limited Quantity or Consumer Commodity ORM-D utilizing the exception found at 49 CFR 173.154.	
ADR		
No additional information available		

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labelling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

DANGER: Causes severe eye and skin damage. Do not get in eyes or on skin or clothing. Wear goggles and face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food. Wash thoroughly with soap and water after handling.

SECTION 16: Other information

Training advice

: Normal use of this product shall imply use in accordance with the instructions on the packaging.

Safety Data Sheet

Full text of H-phrases:

ext of H-phrases:	
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
H301	Toxic if swallowed
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

NFPA health hazard	:	2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.	
NFPA fire hazard	:	1 - Must be preheated before ignition can occur.	
NFPA reactivity	:	0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.