

SAFETY DATA SHEET

Issue Date 20-Mar-2015 Revision Date 20-Feb-2015 Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name T.L.C. Traffic Lane Cleaner & Spot Remover

Other means of identification

Product Code NL508 Synonyms None

Details of the supplier of the safety data sheet

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified
Serious eye damage/eye irritation	Category 2

Label elements

Emergency Overview

Warning

Hazard statements

Causes serious eye irritation



Appearance Clear Physical state Liquid Odor Solvent

Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS)
Immediately call a POISON CENTER or doctor/physician

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
2-(2-butoxyethoxy)ethanol	112-34-5	3-7	*
2-Propanol	67-63-0	1-5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Skin Contact Wash off immediately with plenty of water. Wash skin with soap and water.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Inhalation Remove to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No Information available.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materialsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

	Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Γ	2-(2-butoxyethoxy)ethanol	TWA: 10 ppm inhalable fraction	Yes	Yes
L	112-34-5	and vapor		
	2-Propanol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
	67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
			(vacated) TWA: 400 ppm	TWA: 980 mg/m ³
			(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
			(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
L			(vacated) STEL: 1225 mg/m ³	
	Hexylene Glycol	Ceiling: 25 ppm	(vacated) Ceiling: 25 ppm	Ceiling: 25 ppm
	107-41-5		(vacated) Ceiling: 125 mg/m ³	Ceiling: 125 mg/m ³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection Ensure adequate ventilation, especially in confined areas. If exposure limits are exceeded

or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local

regulations.

General Hygiene Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state
Appearance
Color
Colorless
Odor
Liquid
Clear
Colorless
Solvent

Odor threshold No Information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 9.5 - 10.5
Specific Gravity 0.988

Viscosity < 25 cP @ 25°C

Melting point/freezing point No Information available

Flash point Above 200°F

Boiling point / boiling range 100 °C / 212 ° F Degrees Evaporation rate No Information available

Flammability (solid, gas) Flammability Limits in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No Information available
No Information available
No Information available

Water solubility Complete

Partition coefficientNo Information availableAutoignition temperatureNo Information availableDecomposition temperatureNo Information available

Other Information

Density Lbs/Gal 8.23 VOC Content (%) 4.0

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Maybe harmful by inhalation, ingestion, in contact with eyes and skin,

Inhalation Avoid breathing vapors or mists. Inhalation of vapors in high concentration may cause

irritation of respiratory system.

Eye contact Avoid contact with eyes. Direct contact may cause serious eye irritation.

Skin Contact Avoid contact with skin. Prolonged or repeated contact may dry skin and cause irritation.

May be absorbed through the skin in harmful amounts.

Ingestion Harmful if swallowed. Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-(2-butoxyethoxy)ethanol 112-34-5	= 3384 mg/kg (Rat)	= 2700 mg/kg(Rabbit)	Yes

2-Propanol	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m ³ (Rat) 4 h
67-63-0			5 , ,

Information on toxicological effects

Symptoms No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo Information available.Germ cell mutagenicityNo Information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Propanol	Yes	Group 3	Yes	X
67-63-0		·		

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Target organ effects
Aspiration hazard
No Information available.
No Information available.
EYES, Respiratory system, Skin.
No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

12. ECOLOGICAL INFORMATION

Ecotoxicity

1.05% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-(2-butoxyethoxy)ethanol	100: 96 h Desmodesmus	1300: 96 h Lepomis macrochirus	100: 48 h Daphnia magna mg/L
112-34-5	subspicatus mg/L EC50	mg/L LC50 static	EC50 2850: 24 h Daphnia magna
			mg/L EC50
2-Propanol 1000: 96 h Desmodesmus		9640: 96 h Pimephales promelas	13299: 48 h Daphnia magna mg/L
67-63-0 subspicatus mg/L EC50 1000: 72 h		mg/L LC50 flow-through 11130: 96	EC50
	Desmodesmus subspicatus mg/L	h Pimephales promelas mg/L LC50	
EC50		static 1400000: 96 h Lepomis	
		macrochirus μg/L LC50	

0 11 1 10 11	Teo eo la participa de la constanta de la cons	lo 40 5 00 1 B' 1 1 1	
Sodium Lauryl Sulfate 151-21-3	53: 72 h Desmodesmus subspicatus mg/L EC50 30 - 100: 96 h	8 - 12.5: 96 h Pimephales promelas mg/L LC50 static 15 - 18.9: 96 h	1.8: 48 h Daphnia magna mg/L EC50
151-21-5			EC30
	Desmodesmus subspicatus mg/L	Pimephales promelas mg/L LC50	
	EC50 117: 96 h Pseudokirchneriella	static 22.1 - 22.8: 96 h Pimephales	
	subcapitata mg/L EC50 3.59 - 15.6:	promelas mg/L LC50 static 10.8 -	
	96 h Pseudokirchneriella	16.6: 96 h Poecilia reticulata mg/L	
	subcapitata mg/L EC50 static	LC50 static 1.31: 96 h Cyprinus	
		carpio mg/L LC50 semi-static 4.2 -	
		4.8: 96 h Lepomis macrochirus	
		mg/L LC50 flow-through 4.5: 96 h	
		Lepomis macrochirus mg/L LC50	
		5.8 - 7.5: 96 h Pimephales promelas	
		mg/L LC50 static 10.2 - 22.5: 96 h	
		Pimephales promelas mg/L LC50	
		semi-static 6.2 - 9.6: 96 h	
		Pimephales promelas mg/L LC50	
		13.5 - 18.3: 96 h Poecilia reticulata	
		mg/L LC50 semi-static 4.3 - 8.5: 96	
		h Oncorhynchus mykiss mg/L LC50	
		static 4.62: 96 h Oncorhynchus	
		mykiss mg/L LC50 flow-through 4.2:	
		96 h Oncorhynchus mykiss mg/L	
		LC50 7.97: 96 h Brachydanio rerio	
		mg/L LC50 flow-through 9.9 - 20.1:	
		96 h Brachydanio rerio mg/L LC50	
		semi-static 4.06 - 5.75: 96 h	
		Lepomis macrochirus mg/L LC50	
		static	
Hexylene Glycol	Yes	10500 - 11000: 96 h Pimephales	2700 - 3700: 48 h Daphnia magna
107-41-5		promelas mg/L LC50 flow-through	mg/L EC50
		10000: 96 h Lepomis macrochirus	9, = = 000
		mg/L LC50 static 8690: 96 h	
		Pimephales promelas mg/L LC50	
		flow-through 10700: 96 h	
		Pimephales promelas mg/L LC50	
		static	
		อเสแบ	

Persistence and degradability

No Information available.

Bioaccumulation

Bioaccumulative potential.

Chemical Name	Partition coefficient	
2-Propanol	0.05	
67-63-0		

Other adverse effects No Information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesDisposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status	
2-Propanol	Toxic	
67-63-0	Ignitable	

14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT Not regulated

TDG Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
2-(2-butoxyethoxy)ethanol - 112-34-5	1.0	
2-Propanol - 67-63-0	1.0	

SARA 311/312 Hazard Categories

Acute health hazard No
Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-(2-butoxyethoxy)ethanol	X	Yes	X
112-34-5			
2-Propanol	X	X	X
67-63-0			
Hexylene Glycol	X	X	X
107-41-5			

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION

NFPA Health hazards 0 Flammability 0 Instability 0 Physical and Chemical

HMIS Health hazards 0 Flammability 0 Physical hazards 0 Personal protection B

Issue Date20-Mar-2015Revision Date20-Feb-2015

Revision Note

No Information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet